SAFETY DATA SHEET

B66W11

Section 1. Identification

Product name	: PRO INDUSTRIAL [™] DTM Acrylic Primer/Finish White
Product code	: B66W11
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of t	he substance or mixture and uses advised against
Paint or paint related material.	
Manufacturer	: THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115
Emergency telephone number of the company	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year
Product Information Telephone Number	: US / Canada: (800) 524-5979 Mexico: Not Available
Regulatory Information Telephone Number	: US / Canada: (216) 566-2902 Mexico: Not Available
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 2
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.

Precautionary statements

Date of issue/Date	of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02
B66W11	PRO INDUSTRIAL™ D White	TM Acrylic Prim	er/Finish		SHW-85-	NA-GHS-US

1/12

Section 2. Hazards identification

pecial instructions before use. Do not handle until all safety precautions have ad and understood. Wear protective gloves, protective clothing and eye or face on. Avoid breathing vapor. Wash thoroughly after handling. Contaminated
thing must not be allowed out of the workplace.
sed or concerned: Get medical advice or attention. Take off contaminated and wash it before reuse. Wash contaminated clothing before reuse. IF ON /ash with plenty of water. If skin irritation or rash occurs: Get medical advice or n. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact f present and easy to do. Continue rinsing. If eye irritation persists: Get medical or attention.
cked up.
of contents and container in accordance with all local, regional, national and onal regulations.
NG: This product contains chemicals known to the State of California to cause and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY.
duct contains a Significant New Use Rule (SNUR) Chemical. Do not allow this to enter drains, sewers, wastewater treatment systems, groundwater, streams, ponds. See Environmental Data Sheet (EDS) for additional details.
efer to the SDS for additional information. Keep out of reach of children. Do not contents to other containers for storage.
iown.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

CAS number/other identifiers

Ingredient name	% by weight	CAS number
Calcium Carbonate	≥10 - <20	1317-65-3
Titanium Dioxide	≥10 - ≤25	13463-67-7
Polypropylene glycol alkyl phenyl ether	≤1	9064-13-5
Mineral Spirits 140-Flash	≤0.3	64742-88-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date	of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	2/12
B66W11	PRO INDUSTRIAL™ D White	TM Acrylic Prim	er/Finish		SHW-85-	NA-GHS-US	

Section 4. First aid measures

Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion :	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effect	acute and delayed
Potential acute health effects	<u>sis, acute and delayed</u>
	Causes serious eye irritation.
Inhalation :	No known significant effects or critical hazards.
Skin contact :	Causes skin irritation. May cause an allergic skin reaction.
Ingestion :	No known significant effects or critical hazards.
Over-exposure signs/sympton	<u>15</u>
Eye contact :	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation :	No specific data.
Skin contact :	Adverse symptoms may include the following: irritation redness
Ingestion :	No specific data.
Indication of immediate medica	I attention and special treatment needed, if necessary
Notes to physician :	Treat symptomatically. Contact poison treatment specialist quantities have been ingested or inhaled.

	5
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Contaminated clothing thoroughly with water before removing it, or wear gloves.

immediately if large

lt may Wash

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Date of issue/Date	of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	3/12
B66W11	PRO INDUSTRIAL™ D White	OTM Acrylic Prin	ner/Finish		SHW-85-	NA-GHS-US	

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: This product contains a Significant New Use Rule (SNUR) Chemical. Do not allow this product to enter drains, sewers, wastewater treatment systems, groundwater, streams, lakes or ponds. See Environmental Data Sheet (EDS) for additional details.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures
 Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers

Date of issue/Date	of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	4/12
B66W11	PRO INDUSTRIAL™ D White	TM Acrylic Prim	er/Finish		SHW-85-	NA-GHS-US	

Section 7. Handling and storage

	retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits
Calcium Carbonate	1317-65-3	OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust NIOSH REL (United States, 10/2016). TWA: 5 mg/m ³ 10 hours. Form: Respirable fraction TWA: 10 mg/m ³ 10 hours. Form: Total
Titanium Dioxide	13463-67-7	ACGIH TLV (United States, 3/2020). TWA: 10 mg/m ³ 8 hours. OSHA PEL (United States, 5/2018). TWA: 15 mg/m ³ 8 hours. Form: Total dust
Polypropylene glycol alkyl phenyl ether Mineral Spirits 140-Flash	9064-13-5 64742-88-7	None. OSHA PEL (United States, 5/2018). TWA: 100 ppm 8 hours. TWA: 400 mg/m ³ 8 hours.

Occupational exposure limits (Canada)

Ingredient name	CAS #	Exposure limits
Titanium dioxide	13463-67-7	 CA British Columbia Provincial (Canada, 1/2020). TWA: 10 mg/m³ 8 hours. Form: Total dust TWA: 3 mg/m³ 8 hours. Form: respirable fraction CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: Total dust. CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. CA Ontario Provincial (Canada, 6/2019). TWA: 10 mg/m³ 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. TWA: 10 mg/m³ 8 hours.

Date of issue/Date	of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	5/12
B66W11	PRO INDUSTRIAL™ D White	TM Acrylic Prim	er/Finish		SHW-85-	NA-GHS-US	

Section 8. Exposure controls/personal protection

Occupational exposure lim	<u>nits (Me</u>	<u>(ico)</u>		
			CAS #	Exposure limits
None.				
Appropriate engineering controls	loc	al exhaust ventilation	on or other engine	s, gas, vapor or mist, use process enclosures, eering controls to keep worker exposure to nmended or statutory limits.
Environmental exposure controls	thi str	s product to enter	drains, sewers,	New Use Rule (SNUR) Chemical. Do not allow wastewater treatment systems, groundwater, nmental Data Sheet (EDS) for additional
	the ca	ey comply with the research the second se	equirements of er s, filters or engine	ess equipment should be checked to ensure nvironmental protection legislation. In some eering modifications to the process equipment o acceptable levels.
Individual protection measured	ures			
Hygiene measures	ea Ap Co co	ting, smoking and u propriate technique ntaminated work cl	ising the lavatory is should be used othing should not before reusing.	ghly after handling chemical products, before and at the end of the working period. to remove potentially contaminated clothing. be allowed out of the workplace. Wash Ensure that eyewash stations and safety cation.
Eye/face protection	as: ga	sessment indicates ses or dusts. If con	this is necessary tact is possible, the	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, he following protection should be worn, unless ree of protection: chemical splash goggles.
Skin protection				
Hand protection	wa ne du no gla	rn at all times wher cessary. Consideri ring use that the glo ted that the time to ve manufacturers.	n handling chemic ng the parameters oves are still retair breakthrough for In the case of mi	complying with an approved standard should be al products if a risk assessment indicates this is s specified by the glove manufacturer, check hing their protective properties. It should be any glove material may be different for different xtures, consisting of several substances, the accurately estimated.
Body protection	ре			ody should be selected based on the task being hould be approved by a specialist before
Other skin protection	ba		ng performed and	I skin protection measures should be selected the risks involved and should be approved by a
Respiratory protection	ap res	propriate standard	or certification. R	exposure, select a respirator that meets the espirators must be used according to a e proper fitting, training, and other important

Section 9. Physical and chemical properties

B66W11	PRO INDUSTR White	RIAL™	DTM Acrylic Pri	mer/Finish		SHW-85-I	NA-GHS-US	
Date of issue/D	Date of revision		: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	6/12
рН		:	9					
Odor thresh	nold	:	Not availabl	e.				
Odor		:	Not availabl	e.				
Color		:	White.					
Physical st	tate	:	Liquid.					
Appearance	2							

Section 9. Physical and chemical properties

	· · ·		
Melting point/freezing point	: Not available.		
Boiling point/boiling range	100°C (212°F)		
Flash point	: Closed cup: Not applicable.		
Evaporation rate	: 0.09 (butyl acetate = 1)		
Flammability (solid, gas)	: Not available.		
Lower and upper explosive (flammable) limits	: Not available.		
Vapor pressure	: 2.3 kPa (17.5 mm Hg) [at 20°C]		
Vapor density	: 1 [Air = 1]		
Relative density	: 1.24		
Solubility	: Not available.		
Partition coefficient: n- octanol/water	: Not available.		
Auto-ignition temperature	: Not available.		
Decomposition temperature	: Not available.		
Viscosity	: Kinematic (40°C (104°F)): >0.205 cm ² /s (>20.5 cSt)		
Molecular weight	: Not applicable.		
Aerosol product			
Heat of combustion	: 1.054 kJ/g		

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium Dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-

Sensitization

Not available.

Date of issue/Date	e of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	7/12
B66W11	PRO INDUSTRIAL™ [White	OTM Acrylic Prin	ner/Finish		SHW-85-	NA-GHS-US	

Section 11. Toxicological information

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium Dioxide	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	• •	Route of exposure	Target organs
Calcium Carbonate	Category 3	-	Respiratory tract irritation
Mineral Spirits 140-Flash	Category 3	-	Respiratory tract irritation
	Category 3		Narcotic effects

Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
Mineral Spirits 140-Flash	Category 1	-	-

Aspiration hazard

White

Name	Result
Mineral Spirits 140-Flash	ASPIRATION HAZARD - Category 1

Date of issue/Date of revision B66W11 PRO INDUSTR		ersion : 18.02 8/12 HW-85-NA-GHS-US
Ingestion	: No specific data.	
Skin contact	: Adverse symptoms may include the following: irritation redness	
Inhalation	: No specific data.	
Symptoms related to the Eye contact	 bhysical, chemical and toxicological characteristics Adverse symptoms may include the following: pain or irritation watering redness 	
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.	
Inhalation	: No known significant effects or critical hazards.	
Eye contact	: Causes serious eye irritation.	
Potential acute health effe	acte	
Information on the likely routes of exposure	: Not available.	

Section 11. Toxicological information

Delayed and immediate ef	fects and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health e	ffects
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates Not available.

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
Titanium Dioxide	Acute LC50 >1000000 µg/l Marine water	Fish - Fundulus heteroclitus	96 hours
Persistence and degradabili	ty		
Not available.			
Bioaccumulative potential			
Not available.			
<u>Mobility in soil</u>			
Soil/water partition coefficient (Koc)	: Not available.		
	: No known significant effects or critical h		

Date of issue/Date	e of revision	: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	9/12
B66W11	PRO INDUSTRIAL™ [White	OTM Acrylic Prin	ner/Finish		SHW-85-	NA-GHS-US	

Section 13. Disposal considerations

Disposal methods

: This product contains a Significant New Use Rule (SNUR) Chemical. Do not allow this product to enter drains, sewers, wastewater treatment systems, groundwater, streams, lakes or ponds. See Environmental Data Sheet (EDS) for additional details.

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

		-	-	-	-
	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : Multi-modal shipping descriptions are provided for informational purposes and do not consider container sizes. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

Transport in bulk according : Not available. to IMO instruments

Proper shipping name

: Not available.

S-US
5

Section 15. Regulatory information

•	
U.S. Federal regulations	: TSCA 5(a)2 final significant new use rules: Sodium Nitrite
	This product contains a Significant New Use Rule (SNUR) Chemical. Do not allow this product to enter drains, sewers, wastewater treatment systems, groundwater, streams, lakes or ponds. See Environmental Data Sheet (EDS) for additional details.
<u>SARA 313</u>	
SARA 313 (40 CFR 372.45)	supplier notification can be found on the Environmental Data Sheet.
California Prop. 65 WARNING: This product co reproductive harm.	ontains chemicals known to the State of California to cause cancer and birth defects or other
International regulations	
International lists	 Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Vietnam inventory: Not determined.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Classification	Justification
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1	Calculation method Calculation method Calculation method Calculation method

<u>History</u>	
Date of printing	: 4/14/2021
Date of issue/Date of revision	: 4/14/2021
Date of previous issue	: 1/18/2021
Version	: 18.02

Date of issue/Date of revision		: 4/14/2021	Date of previous issue	: 1/18/2021	Version	:18.02	11/12	
	B66W11 PRO INDUSTRIAL™ White		OTM Acrylic Prin	ner/Finish		SHW-85-	NA-GHS-US	

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
-	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
	as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.